



Missouri Addiction Counselors Association

The MACA Newsletter

April 2015

From The President's Corner

By Elaine Campbell, Vice President

I would like to thank all those who attended the Spring Conference on April 24, 25, 26, 2015. I hope you had a great experience and learned something you didn't know from the workshops. I also want to thank the presenters and all those who helped or supported MACA and the conference. I also want to thank our Board Members for all their help and support throughout the year.

Our conference committee, Tracy Sovar and Andrea Hyde are working hard to bring the fall conference together. If you would like to be a presenter or know someone who does, or have a topic you would like to have presented, let Tracy or Andrea know or contact your regional representative. You can find that information on our website: <http://www.missouriaddictionscounselors.org/> . We are looking forward to our Fall Conference which is October 16, 17, 18, 2015. We hope to see you there!

We have a great time at the Conference as well as a learning experience. This is a great opportunity to meet other counselors and swap ideas and get 15 CEUs. Our banquet on Saturday evening is full of fun, good food, and prizes of all kinds (i.e.

computer, Motel stay, gift cards, etc.). We also have a white elephant auction with unique items. We give away two scholarships, and a free membership in memory of Tommy Hallam, and a free conference. Come and join us for a good time, good food, good people and good education, as well as getting 15CEUs with “Ethics”!

This is also an election year, so if you are a member and would like to hold a position on the board or know someone who does, there will be an opportunity to nominate someone at the fall conference. Voting will be in November.

See you at the Conference!

Elaine Campbell, MACA Vice President

Membership Committee Report

By Elaine Campbell and Mae Lansford

Our Membership is down and we need to bring it up. We need new Members! We have several incentives for members. We do two conferences a year in Spring and Fall. Members' fee for conferences is \$125 for 15 CEUS including "Ethics". Our conferences are held at Lake Ozark, Missouri. We have two scholarships that we give away at each conference. One is a new membership in Memory of Tommy Hallam (a pioneer of MACA) and the other is a free conference. We also give information and referrals to members for malpractice insurance and are looking at other incentives. Our membership fee is \$75 a year for professionals and \$30 for students. Check out our website for more information at:

<http://www.missouriaddictioncounselor.org/> or contact any board member! Come check out our conference and see what you think!!!

In Memory Of

By Lavern Blackorby, Past President

As of this date I have had no reports of any losses of our Counseling Family.

But I do want to extend to all MACA attendees as well as members if you know to the birth, wedding anniversary, sobriety anniversary, graduation's, or death of a member of the counseling friends and family, or any other hard working member of the counseling field, please let either Linda or myself know and we will share it with all in the next quarterly newsletter.

I would like to also take just a moment to thank all of you who attended the Spring Conference, and a very special thanks to the presenters. It was a great conference and all I talked with enjoyed the breakouts and had a great learning experience, in a relaxed atmosphere and had a lot of fun while earning their CEU's.

Please keep in mind that you are the reason we are able to and why we have these conferences. MACA has strived from our conception to provide an affordable, educational, and fun learning experience for all who attend. I would like to encourage each and every one of you to become a member of MACA if you are not and have a co-worker join with you.

Hope to see you all at the Fall Conference, October 16 thru 18 Inn of Grand Glaze at Lake of the Ozarks.

Lavern Blackorby, Past President
MACA Newsletter

Lavern Blackorby CRAADC, SQP-R

Just for you at the MACA Spring Conference

From The MACA Conference Committee
Andrea Hyde and Tracy Sovar

WOW! What a **GREAT Spring Conference!!! THANK YOU ALL** there were a part of the Conference. We appreciate all the presenters, participates, Inn at Grand Glaze staff, MACA Board and members, the items donated for the auction, (the auctioneers: Clay and that "SPUNKY" young lady). So many were part of putting the Conference together and helping with the daily functions of the conference, I don't want to leave anyone out but, wow, it took a Group Effort and the effort was FANTASTIC!! What a blessing for the surprise visit by Ronnie.

Tracy and I have been busy getting another **EXCITING LINE-UP** of presenters for the **Fall Conference**. Remember, a **DISCOUNT** if you **register early**. **MARK** your calendar for, **OCTOBER 16, 17 and 18**. Same place; Inn at Grand Glaze in Osage, MO. At the BEAUTIFUL Lake of the Ozarks! We always have a **SURPRISE for**

everyone! SPEAKERS, PRIZES, RAFFLES, WHITE ELEPHANT, CONTESTS, the list just goes on and on!

Become a member of MACA and receive the benefits of being a member of the greatest organization for counselors in Missouri. Visit the MACA website and get all the details.

Words can't express how much all the **MACA members** are grateful for your attendance, comments and kudos. We couldn't do without you! **So...LET'S DO IT AGAIN THIS FALL!**

See you at the **Fall Conference; October 16, 17 &18!**

Andrea Hyde

MACA Board Member, Northern Representative

Understanding Missouri's Treatment Courts

Submitted by; Jim Koen – Guardian Interlock

Alcoholism and Alcohol Abuse

Signs, Symptoms, and Help for Drinking Problems

It's not always easy to see when your drinking has crossed the line from moderate or social use to problem drinking. But if you consume alcohol to cope with difficulties or to avoid feeling bad, you're in potentially dangerous territory. Alcoholism and alcohol abuse can sneak up on you, so it's important to be aware of the warning signs and take steps to cut back if you recognize them. Understanding the problems is the first step to overcoming it.

Understanding alcoholism and alcohol abuse

Alcoholism and alcohol abuse are due to many interconnected factors, including genetics, how you were raised, your social environment, and your emotional health. Some racial groups, such as American Indians and Native Alaskans, are more at risk than others of developing alcohol addiction. People who have a family history of alcoholism or who associate closely with heavy drinkers are more likely to develop drinking problems. Finally, those who suffer from a mental health problem such as anxiety, depression, or bipolar disorder are also particularly at risk, because alcohol may be used to self-medicate.

Do you have a drinking problem?

You may have a drinking problem if you...

- Feel guilty or ashamed about your drinking.
- Lie to others or hide your drinking habits.
- Have friends or family members who are worried about your drinking.
- Need to drink in order to relax or feel better.
- “Black out” or forget what you did while you were drinking.
- Regularly drink more than you intended to.

Since drinking is so common in many cultures and the effects vary so widely from person to person, it's not always easy to figure out where the line is between social drinking and problem drinking. The bottom line is how alcohol affects you. If your drinking is causing problems in your life, you have a drinking problem.

Signs and symptoms of alcohol abuse

Substance abuse experts make a distinction between alcohol abuse and alcoholism (also called alcohol dependence). Unlike alcoholics, alcohol abusers have some ability to set limits on their drinking. However, their alcohol use is still self-destructive and dangerous to themselves or others.

Common signs and symptoms of alcohol abuse include:

- Repeatedly neglecting your responsibilities at home, work, or school because of your drinking. For example, performing poorly at work, flunking classes, neglecting your kids, or skipping out on commitments because you're hung over.
- Using alcohol in situations where it's physically dangerous, such as drinking and driving, operating machinery while intoxicated, or mixing alcohol with prescription medication against doctor's orders.
- Experiencing repeated legal problems on account of your drinking. For example, getting arrested for driving under the influence or for drunk and disorderly conduct.
- Continuing to drink even though your alcohol use is causing problems in your relationships. Getting drunk with your buddies, for example, even though you know your wife will be very upset, or fighting with your family because they dislike how you act when you drink.
- Drinking as a way to relax or de-stress. Many drinking problems start when people use alcohol to self-soothe and relieve stress. Getting drunk after every stressful day, for example, or reaching for a bottle every time you have an argument with your spouse or boss.

The path from alcohol abuse to alcoholism

Not all alcohol abusers become full-blown alcoholics, but it is a big risk factor. Sometimes alcoholism develops suddenly in response to a stressful change, such as a breakup, retirement, or another loss. Other times, it gradually creeps up on you as your tolerance to alcohol increases. If you're a binge drinker or you drink every day, the risks of developing alcoholism are greater.

Signs and symptoms of alcoholism (alcohol dependence)

Alcoholism is the most severe form of problem drinking. Alcoholism involves all the symptoms of alcohol abuse, but it also involves another element: physical dependence on alcohol. If you rely on alcohol to function or feel physically compelled to drink, you're an alcoholic.

Tolerance: The 1st major warning sign of alcoholism

Do you have to drink a lot more than you used to in order to get buzzed or to feel relaxed? Can you drink more than other people without getting drunk? Those are signs of tolerance, which can be an early warning sign of alcoholism. Tolerance means that, over time, you need more and more alcohol to feel the same effects.

Withdrawal: The 2nd major warning signs of alcoholism

Do you need a drink to steady the shakes in the morning? Drinking to relieve or avoid withdrawal symptoms is a sign of alcoholism and a huge red flag. When you drink heavily, your body gets used to the alcohol and experiences withdrawal symptoms if it's taken away. These include:

- Anxiety or jumpiness
- Shakiness or trembling
- Sweating
- Depression
- Irritability
- Fatigue
- Nausea and vomiting
- Insomnia
- Loss of appetite
- Headache

In severe cases, withdrawal from alcohol can also involve hallucinations, confusion, seizures, fever, and agitation. These symptoms can be dangerous, so talk to your doctor if you are a heavy drinker and want to quit.

Other signs and symptoms of alcoholism (alcohol dependence)

- You've lost control over your drinking. You often drink more alcohol than you wanted to, for longer than you intended, or despite telling yourself you wouldn't.
- You want to quit drinking, but you can't. You have a persistent desire to cut down or stop your alcohol use, but your efforts to quit have been unsuccessful.
- You have given up other activities because of alcohol. You're spending less time on activities that used to be important to you (hanging out with family and friends, going to the gym, pursuing your hobbies) because of your alcohol use.
- Alcohol takes up a great deal of your energy and focus. You spend a lot of time drinking, thinking about it, or recovering from its effects. You have few if any interests or social involvements that don't revolve around drinking.
- You drink even though you know it's causing problems. For example, you recognize that your alcohol use is damaging your marriage, making your depression worse, or causing health problems, but you continue to drink anyway.

Drinking problems and denial

Denial is one of the biggest obstacles to getting help for alcohol abuse and alcoholism. The desire to drink is so strong that the mind finds many ways to rationalize drinking, even when the consequences are obvious. By keeping you from looking honestly at your behavior and its negative effects, denial also exacerbates alcohol-related problems with work, finances, and relationships.

If you have a drinking problem, you may deny it by:

- Drastically underestimating how much you drink
- Downplaying the negative consequences of your drinking
- Complaining that family and friends are exaggerating the problem
- Blaming your drinking or drinking-related problems on others

For example, you may blame an "unfair boss" for trouble at work or a "nagging wife" for your marital issues, rather than look at how your drinking is contributing to the problem. While work, relationship, and financial stresses happen to everyone, an overall pattern of deterioration and blaming others may be a sign of trouble.

If you find yourself rationalizing your drinking habits, lying about them, or refusing to discuss the subject, take a moment to consider why you're so defensive. If you truly believe you don't have a problem, there should be no reason for you to recover up your drinking or make excuses.

Five myths about alcoholism and alcohol abuse

Myth #1: I can stop drinking anytime I want to.

Maybe you can; more likely, you can't. Either way, it's just an excuse to keep drinking. The truth is, you don't want to stop. Telling yourself you can quit makes you feel in control, despite all evidence to the contrary and no matter the damage it's doing.

Myth #2: My drinking is my problem. I'm the one it hurts, so no one has the right to tell me to stop.

It's true that the decision to quit drinking is up to you. But you are deceiving yourself if you think that your drinking hurts no one else but you. Alcoholism affects everyone around you – especially the people closest to you. Your problem is their problem.

Myth #3: I don't drink every day, so I can't be an alcoholic OR I only drink wine or beer, so I can't be an alcoholic.

Alcoholism is NOT defined by what you drink, when you drink it, or even how much you drink. It's the EFFECTS of your drinking that define a problem. If your drinking is causing problems in our home or work life, you have a drinking problem—whether you drink daily or only on the weekends, down shots of tequila or stick to wine, drink three bottles of beer a day or three bottles of whiskey.

Myth #4: I'm not an alcohol because I have a job and I'm doing okay.

You don't have to be homeless and drinking out of a brown paper bag to be an alcohol. Many alcoholics are able to hold down jobs, get through school, and provide for their families. Some are even able to excel. But just because you're a high-functioning alcoholic doesn't mean you're not putting yourself or others in danger. Over time, the effects will catch up with you.

Effects of alcoholism and alcohol abuse

Alcoholism and alcohol abuse can affect all aspects of your life. Long-term alcohol use can cause serious health complications, affecting virtually every organ in your body, including your brain. Problem drinking can also damage your emotional stability, finances, career, and your ability to build and sustain satisfying relationships. Alcoholism and alcohol abuse can also have an impact on your family, friends and the people you work with.

The effects of alcoholism and alcohol abuse on the people you love

Despite the potentially lethal damage that heavy drinking does to the body—including cancer, heart problems, and liver disease—the social consequences can be just as devastating. Alcoholics and alcohol abusers are much more likely to get divorced, have problems with domestic violence, struggle with unemployment, and live in poverty.

But even if you're able to succeed at work or hold your marriage together, you can't escape the effects that alcoholism and alcohol abuse has on your personal relationships. Drinking problems put an enormous strain on the people closest to you.

Often, family members and close friends feel obligated to cover for the person with the drinking problem. So they take on the burden of cleaning up your messes, lying for you, or working more to make ends meet. Pretending that nothing is wrong and hiding away all of their fears and resentments can take an enormous toll. Children are especially sensitive and can suffer long-lasting emotional trauma when a parent or caretaker is an alcoholic or heavy drinker.

Getting help for alcoholism or alcohol abuse

If you're ready to admit you have a drinking problem, you've already taken the first step. It takes tremendous strength and courage to face alcohol abuse and alcoholism head on. Reaching out for support is the second step.

Whether you choose to go to rehab, rely on self-help programs, get therapy, or take self-directed treatment approach, support is essential. Recovering from alcohol addiction is much easier when you have people you can lean on for encouragement, comfort, and guidance. Without support, it's easy to fall back into old patterns when things get tough.

Your continued recovery depends on continuing mental health treatment, learning healthier coping strategies, and making better decisions when dealing with life's challenges. In order to stay alcohol-free for the long term, you'll also have to face the underlying problems that led to your alcoholism or alcohol abuse in the first place.

Those problems could be depression, an inability to manage stress, an unresolved trauma from your childhood, or any number of mental health issues. Such problems may become more prominent when you're no longer using alcohol to cover them up. But you will be in a healthier position to finally address them and seek the help you need.

Helping a loved one with alcoholism or alcohol abuse

If someone you love has a drinking problem, you may be struggling with a number of painful emotions, including shame, fear, anger and self-blame. The problem may be so overwhelming that it seems easier to ignore it and pretend that nothing is wrong. But in the long run denying it will be more damaging to you, other family members, and the person with the drinking problem.

What Not To Do

- Don't attempt to punish, threaten, bribe, or preach.
- Don't try to be a martyr. Avoid emotional appeals that may only increase feelings of guilt and the compulsion to drink or use other drugs
- Don't cover up or make excuses for the alcoholic or problem drinker or shield them from the realistic consequences of their behavior.
- Don't take over their responsibilities, leaving them with no sense of importance or dignity.
- Don't hide or dump bottles, throw out drugs, or shelter them from situations where alcohol is present.
- Don't argue with the person when they are impaired.
- Don't try to drink along with the problem drinker.
- Above all, don't feel guilty or responsible for another's behavior.

Adapted from: National Clearinghouse for Alcohol and Drug Information

Dealing with a loved one's alcohol problem can be an emotional rollercoaster. It's vital that you take care of yourself and get the support you need. It's also important to have people you can talk honestly and openly with about what you're going through.

A good place to start is by joining a group such as Al-Anon, a free peer support group for families coping with alcoholism. Listening to others with the same challenges can be a tremendous source of comfort and support. You can also turn to trusted friends, a therapist, or people in your faith community.

- You cannot force someone you love to stop abusing alcohol. As much as you may want to, and as hard as it is to watch, you cannot make someone stop drinking. The choice is up to them.
- Don't expect the person to stop drinking and stay sober without help. Your loved one will need treatment, support, and new coping skills to overcome a serious drinking problem.
- Recovery is an ongoing process. Recovery is a bumpy road, requiring time and patience. An alcoholic will not magically become a different person once sober. And the problems that led to the alcohol abuse in the first place will have to be faced.

Admitting that there's a serious problem can be painful for the whole family, not just the alcohol abuser. But don't be ashamed. You're not alone. Alcoholism and alcohol abuse affects millions of families, from every social class, race, and culture. But there is help and support available for both you and your loved one.

When your teen has a drinking problem

Discovering your child is drinking can generate fear, confusion, and anger in parents. It's important to remain calm when confronting your teen, and only do so when everyone is sober. Explain your concerns and make it clear that your concern comes from a place of love. It's important that your teen feels you are supportive.

Five steps parents can take:

1. **Lay down rules and consequences:** Your teen should understand that drinking alcohol comes with specific consequences. But don't make hollow threats or set rules that you cannot enforce. Make sure your spouse agrees with the rules and is prepared to enforce them.
2. **Monitor our teen's activity:** Know where your teen goes and who he or she hangs out with. Remove or lock away alcohol from your home and routinely check potential hiding places for alcohol—in backpacks, under the bed, between clothes in a drawer, for example. Explain to your teen that this lack of privacy is a consequence of him or her having been caught using alcohol.
3. **Encourage other interests and social activities.** Expose your teen to healthy hobbies and activities, such as team sports, Scouts, and afterschool clubs.
4. **Talk to your child about underlying issues.** Drinking can be the results of other problems. Is your child having trouble fitting in? Has there been a recent major change, like a move or divorce, which is causing stress?
5. **Get outside help:** You don't have to go it alone. Teenagers often rebel against their parents but if they hear the same information from a different authority figure, they may be more inclined to listen. Try seeking help from a sports coach, family doctor, therapist, or counselor.

Article reprint from:

HG HELPGUIDE.ORG

A trusted non-profit guide to mental health and well-being